

Index

- \$CONTACTADDRESSn\$, 46
- \$CONTACTALIAS\$, 46
- \$CONTACTEMAIL\$, 46
- \$CONTACTNAME\$, 46
- \$CONTACTPAGER\$, 46
- \$HOSTADDRESS\$, 45
- \$HOSTALIAS\$, 45
- \$HOSTNAME\$, 45
- \$HOSTOUTPUT\$, 45
- \$HOSTPERFDATA\$, 45
- \$HOSTSTATEID\$, 45
- \$HOSTSTATETYPE\$, 45
- \$HOSTSTATE\$, 45
- \$SERVICEDESC\$, 46
- \$SERVICEOUTPUT\$, 46
- \$SERVICEPERFDATA\$, 46
- \$SERVICESTATEID\$, 46
- \$SERVICESTATETYPE\$, 46
- \$SERVICESTATE\$, 46

- accept_passive_host_checks, 86
- accept_passive_service_checks, 86
- active_checks_enabled, 86
- address, 19
- aggregates_writes, 91
- alias, 19

- benachrichtigungskommando, 71
- Business Process Monitoring, 83

- can_submit_commands, 32
- check
 - _by_ssh, 53
 - _dhcp, 50
 - _dig, 49
 - _disk, 51
 - _dns, 49
 - _file_age, 52
 - _ftp, 49
 - _http, 49
 - _icmp, 25, 49
 - _imap, 49
 - _ldap, 50
 - _load, 51
 - _logfiles, 51
 - _mailq, 52
 - _multi, 81, 82
 - _mysql, 50
 - _nagios, 52
 - _nt, 95
 - _ntp_peer, 50
 - _ntp_time, 50, 51
 - _oracle, 50
 - _pgsql, 50
 - _ping, 25
 - _pop, 49
 - _procs, 51
 - _smtp, 49
 - _spop, 49
 - _ssh, 49
 - _swap, 51
 - _tcp, 49
 - _udp, 49
 - _users, 51
- check_command, 20, 25
- check_external_commands, 86
- check_period, 28
- CheckCounter, 100
- CheckCPU, 100
- CheckDisk.dll, 98
- CheckDriveSize, 100
- CheckEventLog, 100
- CheckFileSize, 100
- CheckMem, 100
- CheckProcState, 100
- CheckServiceState, 100
- CheckSys.dll, 98
- CheckUpTime, 100
- command, 18, 33
 - _line, 33

- _name, 33
- command_check_interval, 86
- command_file, 86
- contact, 17
 - alias, 31
 - contact_name, 31
 - email, 32
 - host_notification_options, 31
 - host_notification_command, 31
 - host_notification_period, 31
 - service_notification_options, 31
 - service_notification_command, 32
 - service_notification_period, 31
- contact_groups, 20, 28
- contactgroup, 17, 32

- decryption, 91
- dependent_service_description, 65

- Eltern-Host-Beziehung, 47
- email, 32
- enable_event_handler, 107
- Eskalationsmanagement, 73
- event_handler, 107
- Eventhandler, 109
- execution_failure_criteria, 65
- externe Kommandos
 - Aufbau, 87

- FileLogger.dll, 98

- generische Plugins, 49

- Hard-State, 41
- host, 17
 - Definition, 19
 - hostgroups, 23
- host_name, 19
- host_perfddata
 - _command, 121
 - _file, 120
 - _file_mode, 120
 - _file_processing_interval, 121
- hostdependency, 18

- hostescalation, 18, 73
- hostextinfo, 18
- hostgroup, 17
 - _name, 23
 - members, 23

- Konfiguration
 - Testen, 39

- Lokale Ressourcen, 51

- Makro, 33
 - Anwendung, 43
 - Host-Makros, 45
 - Kontakt-Makros, 46
 - Service-Makros, 46
- Makros, 43
- max_check_attempts, 20
- mibbrowser, 79
- Munin, 125
 - Kontaktregel, 137
 - allow, 128
 - Konfiguration, 127
 - Kontakt-Definition, 137
 - master-Konfiguration, 128
 - Node, 127
 - NSCA, 137
 - Telnetschnittstelle, 131
- Munin-Node
 - allow, 128
- munin-node.conf, 127

- Nachrichtenfilter, 67
- Nagios
 - eigene Plugins entwickeln, 115
 - Performancedaten, 119
- Nagios Remote Plugin Executor, *siehe* NRPE
- Nagios Service Check Acceptor, *siehe* NSCA
- nagios.cfg, 13
- NC_Net, 94
- Netzwerktopologie, 47
- notification
 - _interval, 20, 28
 - _period, 20, 28

- notification_failure_criteria, 65
- notify_by_mail, 71
- NRPE, 59, 93
 - Command-Definition, 61
 - Konfiguration, 61
 - NSClient++, 101
 - Parameterübergabe, 63
- NRPEListener.dll, 98
- NSCA, 89, 137
 - Dämon, 91
 - Installation, 89
 - Konfiguration, 91, 92
- NSClient
 - Checks, 100
 - Konfiguration, 97, 99
- NSClient++, 97, 101
 - allow_arguments, 100
 - allow_nasty_meta_chars, 100
 - allowed_hosts, 99
 - bind_to_address, 99
 - port, 100
 - socket_timeout, 99
- NSClientListener.dll, 98
- Obsessive Compulsive Host Processor, *siehe* OCHP
- Obsessive Compulsive Service Processor, *siehe* OCSP
- OCHP, 109
 - Kommandos, 111
 - Konfiguration, 109
- ochp_command, 111
- OCSP, 109
 - Kommandos, 111
 - Konfiguration, 109
- ocsp_command, 111
- OpMon Agent, 103
 - allow_from, 104
 - enabled, 104
 - port, 104
- parents, 47
- Passive Checks, 85, 89
- passive_checks_enabled, 86
- Plugins, 115
- process_performance_data, 120
- register, 37
- retry_check_interval, 28
- retry_interval, 28
- Round Robin Datenbanken, *siehe* RRD
- RRD, 133
- send_nsc.cfg, 92
- service, 17
 - _description, 28
 - check_command, 28
 - check_interval, 28
 - host_name, 27
 - hostgroup_name, 27
 - max_check_attempts, 28
 - normal_check_interval, 28
 - notification
 - _interval, 28
 - retry_check_interval, 28
- service_perfdata
 - _command, 121
 - _file, 120
 - _file_mode, 120
 - _file_processinginterval, 121
- servicedependency, 18, 65
- serviceescalation, 18, 73
- serviceextinfo, 18
- servicegroup, 17
- servicegroups, 29
- Simple Network Management Protocol, *siehe* SNMP
- SNMP, 77
 - Trap, 78
- snmpd.conf, 80
- snmpget, 79
- snmpgetnext, 79
- snmpwalk, 79
- Soft-State, 41
- Templates, 37
- Test
 - Konfiguration, 39

timeperiod, 18, 35
 _name, 35

use, 37

Verteiltes Monitoring, 109

Windows-Server, 93

WMI, 94