



Stichwortverzeichnis

! 284
 != 284
 || 284
 == 284
 && 284
 ^ 284

A

AADefaultHatName 106, 121
 AAHatName 106, 121
 Access-Vector-Cache 139, 163, 198, 221, 267
 afs 298
 ALC_FLR.3 195
 allow 144, 182, 217, 310, 311
 Apache 72, 106, 120, 123, 171, 179, 180, 213,
 227–229, 245
 ApacheBench 257
 apol 197, 231
 AppArmor Syntax
 Regel 97
 AppArmor-Installation 101
 AppArmor-Protokolle
 AUDITING 63
 LOGPROF-HINT 63, 84
 PERMITTING 62
 REJECTING 63
 AppArmor-Rechte
 Allow 69, 76
 Deny 69, 76
 Edit 69
 Glob 69
 w/Ext 69
 Inherit 69, 76
 ix 89
 Profile 69
 px 89
 Px 98
 Ux 98
 ix 98
 l 99
 m 98

px 98
 r 98
 ux 98
 w 98
 Unconfined 70, 76
 ux 89

AppArmor-Syntax 96

Abstraction 99
 Include 97
 Variablen 99

apparmor_parser 82, 90

apparmor_status 82, 83

append 40

Applications Audit 66

Attribut 310

audit 82–85

audit2allow 161, 164, 169, 182–185, 198–200,
 215, 269, 270, 272, 274, 275, 290, 291, 310,
 329, 336

audit2spd1 329

audit2why 161, 164, 200

auditallow 217

auditctl 351, 352, 355

Auditd 62, 86, 163, 351, 352, 356

aureport 351, 357, 359

ausearch 351, 359

autodep 82, 84–86

autofs 298

automount 298

autrace 351, 359, 360

Availability siehe *Verfügbarkeit*

AVC siehe *Access-Vector-Cache*

avcstat 198

B

Backup 230, 242

Base-Modul 201, 214

bdev 298

Bell-LaPadula 34, 48, 137

Benchmark 51

Biba 35

binfmt_misc 298
 Boolesche Variablen 171, 175, 179, 190, 193,
 203, 204, 217, 218, 220, 222, 224, 283

C

CAP_AUDIT_CONTROL 41
 CAP_AUDIT_WRITE 41
 CAP_CHOWN 39
 CAP_DAC_OVERRIDE 39, 127, 146
 CAP_DAC_READ_SEARCH 39
 CAP_FOWNER 39
 CAP_FS_MASK 41
 CAP_FSETID 39
 CAP_IPC_LOCK 40
 CAP_IPC_OWNER 40
 CAP_KILL 39
 CAP_LEASE 41
 CAP_LINUX_IMMUTABLE 39, 40, 43
 CAP_MKNOD 41
 CAP_NET_ADMIN 39, 40, 43
 CAP_NET_BIND_SERVICE 40
 CAP_NET_BROADCAST 40
 CAP_NET_RAW 40, 43, 44, 70, 72
 CAP_SETGID 39
 CAP_SETPCAP 40
 CAP_SETUID 39
 CAP_SYS_ADMIN 41, 99
 CAP_SYS_BOOT 41
 CAP_SYS_CHROOT 40
 CAP_SYS_MODULE 40, 42, 43, 45
 CAP_SYS_NICE 41
 CAP_SYS_PACCT 40
 CAP_SYS_PTRACE 40
 CAP_SYS_RAWIO 40, 42, 43
 CAP_SYS_RESOURCE 41
 CAP_SYS_TIME 41, 279, 284, 285
 CAP_SYS_TTY_CONFIG 41
 Capability 38, 43, 90, 99, 127, 306
 capifs 298
 CAPP 352
 Category 152
 CDS Framework 330
 CGI 193, 229, 246
 ChangeHat 90, 106, 112
 chatr 40
 chcat 200
 chcon 161, 201
 checkmodule 186, 201, 216
 checkpolicy 202
 Chinese Wall 36
 chkconfig 61
 chown 201

Chroot 242, 300
 cifs 298
 Classification siehe *Klassifizierung*
 Clearance siehe *Freigabe*
 Common-Criteria 195, 351
 Compartment 35, 152
 Compiler 202
 complain 82–87
 Confidentiality siehe *Vertraulichkeit*
 configfs 298
 Constraint 152
 Controlled Access Protection Profile
 siehe *CAPP*
 Cron 81, 127, 242
 Customizable Types 181, 205, 220, 228, 229,
 256, 300

D

DAC 25, 133, 137, 141, 144, 147, 189, 352
 date 193, 261, 265, 267, 272, 278, 284, 310, 312
 Datei
 /.autorelabel 159, 225, 240, 255, 300
 /admin 124
 /bin 147
 /bin/date 263, 265, 266, 281
 /bin/netstat 132
 /bin/ping 132
 /boot/grub/menu.lst 102, 219, 240, 241
 /dev/grsec 48
 /dev/mem 42, 152, 194
 /dev/tty 68
 /etc/apache2/mods-available 249
 /etc/apache2/mods-
 available/fcgid.conf
 249
 /etc/apache2/mods-enabled 249
 /etc/apache2/sites-available 250
 /etc/apache2/sites-available/default
 251
 /etc/apparmor.d 67, 69–71, 85, 91, 95, 97
 /etc/apparmor.d/abstractions 99
 /etc/apparmor.d/tunables/global 71
 /etc/apparmor.d/usr.sbin.httpd2-
 prefork
 77, 107
 /etc/apparmor/logprof.conf 85, 90, 94
 /etc/apparmor/profiles/extras 67
 /etc/apt/sources.list 101
 /etc/cron.d 81
 /etc/cron.daily 81, 127
 /etc/cron.daily/find 243
 /etc/cron.daily/standard 242

- /etc/cron.daily/suse.de-clean-tmp 128
- /etc/cron.hourly 81, 127
- /etc/cron.monthly 81, 127
- /etc/cron.weekly 81, 127
- /etc/crontab 81, 127
- /etc/default/postfix 242
- /etc/default/rcS 242
- /etc/fstab 287
- /etc/gshadow 242
- /etc/hosts 252
- /etc/httpd/conf.d 249, 250
- /etc/httpd/vhosts.d 250
- /etc/httpd2/conf.d 107
- /etc/init.d 103
- /etc/init.d/bootmisc.sh 242
- /etc/init.d/httpd 314
- /etc/inittab 352
- /etc/motd 242
- /etc/pam.d/common-session 108
- /etc/pam.d/login 241
- /etc/pam.d/ssh 241
- /etc/passwd 114, 117, 142, 355, 356
- /etc/postfix/master.cf 242
- /etc/selinux/<policy>/modules/active 215
- /etc/selinux/config 159, 219, 223–225, 240, 319, 340
- /etc/selinux/refpolicy/src/policy/ 317
- /etc/sestatus.conf 218
- /etc/shadow 43, 46, 142, 146–148, 172, 173, 194, 242, 344
- /etc/squid 145
- /etc/squid/squid.conf 144
- /etc/sysconfig/httpd 248
- /etc/udev/udev.conf 242
- /home/www 228
- /lib/ld-2.2.so 132
- /opt/MozillaFirefox/lib/firefox-bin 133
- /opt/shells/<group>-shell 114
- /packages/ 109
- /phpsysinfo/ 78
- /proc 95, 159
- /proc/[0-9]* 95
- /proc/bus/usb 40
- /proc/swaps 63
- /proc/sys/kernel/cap-bound 42
- /sbin 60
- /sbin/klogd 132
- /sbin/syslogd 133
- /selinux 241
- /selinux/booleans 175, 176
- /selinux/commit_pending_bools 177
- /srv/www 228
- /srv/www/bookshop 125
- /srv/www/bookshop/admin 125
- /srv/www/evil 124
- /subdomain 81
- /sys 159
- /sys/kernel/security 81
- /tmp 47, 133, 202, 226, 317
- /usr/bin 203
- /usr/bin/ldd 133
- /usr/bin/nmap 63, 71
- /usr/bin/passwd 148
- /usr/lib/firefox/firefox-bin 133
- /usr/sbin/httpd2-prefork 63, 76, 77
- /usr/sbin/identd 133
- /usr/sbin/mdnsd 133
- /usr/sbin/nscd 133
- /usr/sbin/ntpd 133
- /usr/sbin/traceroute 133
- /usr/share/apache2/error/ 124
- /usr/share/nmap/nmap-mac-prefixes 63
- /usr/share/nmap/nmap-protocols 89
- /usr/share/selinux/devel 288
- /usr/share/selinux/devel/include/*/ 263
- /usr/share/selinux/devel/include/kernel/domain.if 263
- /usr/src/packages/RPMS/i586/ 109
- /usr/src/packages/SOURCES 109
- /var/lib/apache2/fcgid 255
- /var/log/audit/audit.log 62, 163, 165, 182, 185, 199, 207, 267
- /var/log/messages 62, 86, 87, 105, 163, 165, 182, 185, 199, 207
- /var/log/snort 127
- /var/log/syslog 185, 199, 207, 262
- /var/log/utmp 100
- /var/log/wtmp 100
- /var/run/motd 242
- /var/tmp 226
- /var/www 228, 250
- /var/www/myvhost/php-fcgi 251
- /web 180, 181, 229
- /www 213, 228
- ~/.vim/syntax 321
- ~/.vimrc 321
- abstractions/audio 100
- abstractions/authentication 100
- abstractions/base 100
- abstractions/bash 100

- abstractions/consoles 69, 100
- abstractions/dateizugriff 116
- abstractions/fonts 100
- abstractions/gnome 100
- abstractions/kde 100
- abstractions/kerberosclient 100
- abstractions/nameservice 100, 128
- abstractions/perl 100
- abstractions/prozessverwaltung 116
- abstractions/user- 100
- abstractions/user-tmp 115
- abstractions/wutmp 100
- abstractions/X 100
- active/ 215
- apache.if 256
- apache2 248
- apache2-mpm-worker 248
- apache2_mod_apparmor 73
- apache2_mod_changehat 73
- apache2_mod_php5 73
- apache2_mod_subdomain 73
- apparmor.vim(5) 71
- audit.pp 214, 215
- audit.rules 352
- auditd.conf 352, 353
- base.pp 214
- booleans.local 176
- build.conf 317
- capp.rules 357
- clamav.if 291
- contexts/customizable_types 181
- contexts/files/homedir_template 203
- date.fc 262, 265, 280, 309
- date.if 262, 280, 309
- date.pp 266, 271, 279
- date.te 262–264, 271, 272, 274, 276, 277, 280, 309, 310
- domains 336
- domains/ 336
- domains/program/ 336
- etc.cron.daily.tmpwatch 133
- fcgid.conf 249
- file_contexts 204, 220, 336
- file_contexts/program/ 336
- files_contexts 300
- filesystem.te 298, 302, 303
- flask 335
- genfs_contexts 341
- havp.config 287
- havp.fc 288, 291, 292
- havp.if 288
- havp.te 288, 292
- httpd 248
- httpd.conf 250
- Immunix::Subdomain 82
- kernel/corenetwork.te.in 304
- libapache2-mod-fcgid 248
- libcap 44
- libraries.if 277
- lids_acl_discovery.pl 46
- lspp.rules 357
- m4 262
- Makefile 265, 266, 335
- menu.lst 241
- misc/ 336
- miscfiles.if 278
- mod_fastcgi 247
- mod_fcgid 245–249, 252, 254, 255, 257
- mod_fcgid-selinux 248
- mod_perl 72, 246
- mod_php 72, 246, 247, 257
- mod_python 246
- modules/active/modules/ 215
- myvhost 250
- myvhost.conf 250
- owlsm 95
- pam-devel 108
- pam_apparmor-2.0.tar.gz 108
- php-cli 248
- php.conf 249
- php.ini 247, 251
- php5-cgi 248
- phpinfo.fc 256
- phpinfo.te 256
- phpsysinfo.te 186
- policy-server.conf 341
- policy.19 335
- policy.conf 218, 335
- policy/policy.21 231
- policy/policy.XX 215
- previous 215
- program/ 336
- sample.rules 357
- semanage.conf 339
- selinux-policy-devel 262, 263, 272, 288
- selinux-policy-refpolicy-dev 262
- semanage.conf 341
- semod.conf 341
- semodule_package 201
- server.pp 344
- setrans.conf 200
- squid.conf 144
- sysinfo.conf 107
- terminal.if 276
- tmp 202
- tmpwatch 133

tunables/global 71
 types 336
 types/metapolicy.te 342
 unused/ 336
 userdomain.if 314
 usr.bin.nmap 70
 usr.lib.RealPlayer10.realplay 133
 wtmp 164
Debian 101, 103, 138, 155, 156, 199, 235, 239,
 240, 249, 262
 DEFAULT_URI 106
 devpts 242
Disabled 203, 209, 224
Discretionary-Access-Control siehe *DAC*
DocumentRoot 180, 182, 213, 228, 257
Domäne 141, 143, 146, 148, 150, 189–191, 217,
 225, 240, 246, 263, 280
Domänentransition 148–150, 190, 217, 233,
 256, 263, 295, 309
 domain_auto_trans 149
 domain_entry_file 149
Dominanz 152
DTE 37
DTMach 137
DTOS 137
 dump 230
 dyntransition 307

E
EAL4+ 195
Eclipse 322
 encfs 298
 enforce 67, 74, 82–85, 129
Enforcing 191, 203, 209, 219, 223, 272, 278
Entrypoint 148
Etch siehe *Debian*
Event-ID 359
 eventpollfs 298
Example-Policy 156, 209, 239, 240, 335
 execmod 225
Executive Summary Report 66
 ext2 241, 298
 ext3 241, 297, 298

F
FastCGI 245, 246, 252
 fat 298, 303
FCGIWrapper 251, 254
Fedora Core 102, 103, 138, 143, 155, 172, 181,
 222, 235, 239, 262
Filesystem-Capabilities 43

find 225
 fixfiles 182, 202, 205, 220
Flask 137, 138
Fluke 137, 138
Flux 137, 138
FormatGuard 57
Freigabe 34
 fs_use_task 298, 301
 fs_use_trans 298, 302
 fs_use_xattr 298
 fsetfilecon(3) 300
FTP 229
 futexfs 298

G
 gen_context 304
 genfscon 298
 genhomedircon 203
 genprof 82, 84, 86, 105, 109, 121, 124, 126
Gentoo 155, 156
 getenforce 158, 203
GetRewted Security siehe *grsecurity*
 getsebool 161, 175, 176, 203
 gfs 298
 gfs2 298
Globbering 78
 grep 275
 grsecurity 45, 46, 132

H
Hat 72, 76, 77, 90
Hats 129
HAVP 287
 hfs 298
 hfsplus 298
HTTP-Antivirus-Proxy siehe *HAVP*

I
 ibmasmfs 298
 id 151, 157, 239
 ImmDefaultHatName 106
 ImmHatName 106
Immunix 57
immutable 40
Informationsfluss 34, 133, 189, 198
Informationssicherheit 29
 init 289
Inode 164
 inotifyfs 298
Integrität 29, 35

- Integrity** siehe *Integrität*
Interface 199, 256, 263, 280, 281
iostat 198
IP-Adresse 304
IP-Paket 305
IPsec-SA 305
iptables 46
iso9660 297, 298
- J**
- jffs2** 298
jfs 241, 298
john 146
- K**
- Kategorie** 200
KDE 226
Klassifizierung 34
- L**
- Label** 194
Labeled Security Protection Profile
 siehe *LSPP*
Laus 351
lcap 42
ldd 84
Least-Privilege 191
less 89
Level 204
LIDS 45, 132
Linux-Intrusion-Detection-System siehe
 LIDS
Linux-Security-Module siehe *LSM*
LMBench 51
load_policy 204
locate 243
LOCK 137
log-prof 84
login 46, 239
logprof 82, 86, 87, 105
Low-Watermark 35
ls 142, 239
lsetfilecon(3) 300
LSM 58, 138
lspci 77
LSPP 195, 352
- M**
- M4** 262
MAC 26, 131, 132, 137, 141, 352
Mailserver 242
make 266
Mandatory Integrity Control 35
Mandatory-Access-Control siehe *MAC*
matchpathcon 204, 301
MCS 151, 153, 200, 202, 210, 265
Microkernel 138
Microsoft Vista 35
MITRE 138
MLS 34, 137, 151, 153, 156, 193, 197, 201, 202,
 204, 210, 232, 265
MLS-Policy 156, 189
mlsconstrain 194
mmap 226
Modul 185, 199, 201, 214, 216, 288, 324
mount 25, 299
mqueue 298
msdos 298
Multi Level Security siehe *MLS*
Multi-Category-Security siehe *MCS*
Multilateral Security 35
MySQL 171, 230
- N**
- Netfilter** 216, 304, 305
netifcon 303
netstat 61, 66
Network Associates 138
Netzwerkkarte 211, 304
newrole 141, 151, 157, 161, 174, 192, 193, 204
nfs 297, 298
nfs4 298
nfsd 298
nmap 63
nodecon 304
Novell 58
NSA 137
ntfs 297, 298
ntfs-3g 298
ntpd 328
- O**
- Object-Manager** 138, 297, 306, 340
oprofilesystemfs 298
optional_policy 274, 310
Orange Book 137
Overhead 51
- P**
- PAM** 108
pam_apparmor 72, 108

passwd 146–148, 150
 Pending 176, 203, 221
 Perl 82, 246
 Permissive 203, 209, 219, 224, 240, 248, 256,
 267, 272
 PHP 72, 120, 182, 183, 229, 246, 247, 250, 252
 phpSysInfo 73, 131, 182, 185
 ping 26, 66, 147, 148, 175
 pipefs 298
 Policy
 -Compiler 202
 -Components 232
 -Package 266, 281, 285, 287, 310
 -Rules 232
 Policy Management Server 339
 policygentool 294, 325
 Port 146, 179, 180, 213, 227, 304
 portcon 304
 Postfix 242
 PostgreSQL 230
 Prefork-MPM 257
 proc 297, 298, 303
 Protokollmarkierung 87, 105
 Prozess 306
 ps 142, 192, 239
 Python 246

R

Ramdisk 287
 ramfs 298
 Range 152
 Range-Transition 217, 232
 range_transition 152
 RBAC 34, 37, 150, 195, 197, 232, 329
 rcapparmor 60
 rcsubdomain 60
 Redhat 103
 Reference-Policy 153, 155, 156, 209, 231, 239,
 240, 261, 269, 272, 284, 317, 339
 Referenzmonitor 33
 reiserfs 241, 298
 relabelfrom 300
 Relabeling 159, 181, 182, 202, 213, 224–226,
 235, 240, 300
 relabelto 300
 Reload 183, 185, 199, 215, 267
 Require 199
 require 270
 restore 230
 restorecon 161, 181, 182, 205, 213, 220, 225,
 266, 292, 300
 role 150, 217

Role Based Access Control siehe RBAC
 role_transition 217
 Rollenwechsel 205
 romfs 298
 rpc.gssd 172
 rpc_pipefs 298
 rpm 235
 RSBAC 45, 48, 132
 Rsync 229
 Ruby 246
 RuleSet-Based-Access-Control siehe RSBAC
 run_init 206, 289, 295

S

Samba 229
 Schutzstufe 34
 sealert 206, 221
 seaudit 165, 168, 207
 seaudit-report 168, 208
 Secure Computing Corporation 137
 Secure-Shell 80, 108, 109, 112–114, 164,
 191, 213
 Security Incident Report 66
 Security-Context 140, 141, 145, 152, 164, 167,
 179–181, 201, 202, 204, 205, 211, 213, 220, 225,
 226, 230, 233, 265, 297
 Security-Policy siehe Sicherheitsrichtlinie
 Security-Server 138
 sediff 208, 236
 sediffx 208, 237
 SEedit 328
 seedit 317, 328, 329
 seinfo 209
 SELinux
 -Dateisystem 175, 176
 -Translation 211
 -User 179, 201, 210, 213, 216
 SELinux Attribute
 domain 310
 userdomain 310
 SELinux Boolean
 allow_<domain>_anon_write 229
 allow_cvs_read_shadow 172
 allow_execheap 172, 226
 allow_execmem 172, 226
 allow_execmod 172, 226
 allow_execstack 172
 allow_ftpd_anon_write 172, 173
 allow_gpg_execstack 172
 allow_gssd_read_tmp -> on 172
 allow_httpd_anon_write 172

- allow_httpd_staff_script_anon_write 172, 193
 allow_httpd_sys_script_anon_write 172, 229
 allow_httpd_sysadm_script_anon_write 172, 193
 allow_httpd_user_script_anon_write 173, 193
 allow_java_execstack 173
 allow_kerberos 173
 allow_ptrace 173
 allow_rsync_anon_write 173
 allow_saslauthd_read_shadow 173
 allow_smbd_anon_write 173
 allow_ssh_keysign 173
 allow_user_mysql_connect 173
 allow_write_xshm 173
 allow_yplibind 173
 cdrecord_read_content 173
 cron_can_relabel 173
 date_adjust_time 285
 disable_trans 190
 fcron_crond 173
 ftp_home_dir 173
 ftpd_is_daemon 173
 httpd_builtin_scripting 173
 httpd_can_network_connect 173, 230
 httpd_can_network_connect_db 173, 218, 230
 httpd_can_network_relay 174
 httpd_disable_trans 224
 httpd_enable_cgi 174
 httpd_enable_ftp_server 174
 httpd_enable_homedirs 174
 httpd_ssi_exec 174
 httpd_tty_comm 174
 httpd_unified 174
 named_write_master_zones 174
 nfs_export_all_ro 174
 nfs_export_all_rw 174
 pppd_can_insmode 174
 pppd_for_user 174
 read_default_t 174
 read_untrusted_content 174
 run_ssh_inetd 174
 samba_enable_home_dirs 174
 secure_mode 174, 193
 secure_mode_insmode 174
 secure_mode_policyload 174
 spamassassin_can_network 174
 spamassassin_can_network 174
 squid_connect_any 175
 ssh_sysadm_login 175
 staff_read_sysadm_file 175
 stunnel_is_daemon 175
 use_nfs_home_dirs 175
 use_samba_home_dirs 175
 user_direct_mouse 175
 user_dmesg 175
 user_net_control 175
 user_ping 175
 user_rw_noexattrfile 175
 user_rw_usb 175
 user_tcp_server 175
 user_ttyfile_stat 175
 write_untrusted_content 175
 xdm_sysadm_login 175
- SELinux Class**
- class* 144
 - dir* 144
 - file* 144, 148, 299
 - lnk_file* 144
 - msg* 306
 - msgq* 306
 - process* 148
 - sem* 306
 - shm* 306
- SELinux Policy IDE** siehe SLIDE
- SELinux Role** 141, 201, 210
- _r* 142
 - object_r* 142, 145, 147, 180, 297, 299, 302
 - role* 141, 311
 - staff_r* 150, 157, 159, 175, 192, 193, 204, 212, 219, 329
 - sysadm_r* 142, 150, 151, 160, 161, 179, 192, 193, 204, 212, 219, 232, 267, 329
 - sysadm_r:sysadm_t* 175
 - system_r* 143, 150, 189, 267
 - system_u* 150
 - user_r* 147, 150, 151, 179, 212, 329
 - webadm_r* 179
 - webmaster_r* 314, 315, 329
- SELinux Schnittstelle**
- domain_type* 263
- SELinux Type** 141, 201
- _t* 142
 - clamd_var_lib_t* 290
 - consoletype_t* 314
 - customizable_type* 202, 205, 220
 - date_exec_t* 263, 264, 280, 281
 - date_t* 263, 264, 267, 276, 280, 281, 310, 312
 - default_t* 174, 180
 - devpts_t* 269, 275
 - dhcpcd_t* 232
 - etc_t* 142, 232, 233
 - fs_t* 302
 - havp_data_t* 302
 - havp_exec_t* 295

- hwp_t* 292, 295, 302
- home_dir_t* 210
- home_t* 210
- http_cache_port_t* 145, 146
- http_port_t* 227
- httpd_name_script_exec_t* 256
- httpd_name_script_t* 256
- httpd_phpinfo_script_t* 256
- httpd_port_t* 305
- httpd_script_t* 174
- httpd_staff* 172
- httpd_sys* 172
- httpd_sys_** 229
- httpd_sys_content_t* 213, 229
- httpd_sys_script_exec_t* 229
- httpd_sys_script_ra_t* 229
- httpd_sys_script_ro_t* 229
- httpd_sys_script_rw_t* 229
- httpd_sys_script_t* 229
- httpd_sysadm* 172
- httpd_t* 142, 174, 217, 256, 314
- httpd_unconfined_script_exec_t* 229
- httpd_user* 173
- initrc_t* 206, 295, 314, 315
- insmod* 174
- mysqld_port_t* 230
- name* 256
- passwd_exec_t* 148, 149
- passwd_t* 147–150
- policy_server_t* 342
- policy_t* 342
- postgresql_port_t* 230
- public_content_rw_t* 172, 229
- public_content_t* 172, 193, 229
- root:system_r:date_t* 279
- samba_etc_t* 299
- samba_secrets_t* 299
- self* 302, 306
- shadow_t* 142, 147, 148, 234
- smbd_t* 299
- source_t* 144
- squid_cache_t* 144
- squid_conf_t* 144, 145
- squid_log_t* 144
- squid_t* 143–146, 148
- sshd_t* 164
- staff_t* 310
- swapfile_t* 228
- sysadm_r:sysadm_t* 175
- sysadm_t* 175, 189, 310
- target_t* 144
- textrel_shlib_t* 226
- tmpfs_t* 302
- type* 141
- unconfined_t* 189, 190, 224–226, 264, 295, 310
- unlabeled_t* 299, 305
- user_home_t* 142, 212
- user_t* 148, 149, 189, 310
- var_log_t* 164, 292
- webmaster_t* 314, 315
- SELinux User 141
- SELinux-Schnittstelle
 - apache_content_template* 256
 - clamav_search_lib* 291
 - date_domtrans* 281
 - domain_auto_trans* 264
 - domain_dyntrans_type* 246
 - domain_entry_file* 264
 - gen_context* 265
 - gen_require* 281
 - gen_tunable* 284
 - gen_user* 315
 - libs_use_ld_so* 277
 - libs_use_lib_files* 277
 - miscfiles_read_localization* 278
 - term_use_generic_ptys* 276
 - tunable_policy* 284
 - userdom_base_user_template* 314
- selinuxenabled* 161, 203, 209
- semanage* 145, 146, 150, 151, 179–182, 200, 203, 209, 210, 212, 227, 305, 339
- semodule* 185, 187, 201, 209, 214, 216, 266
- semodule_expand* 216
- semodule_link* 216
- semodule_package* 214
- Sensitivity 152
- sepolgen-ifgen* 273
- research* 217
- sestatus* 158, 218
- setcon(3)* 307
- setenforce* 160, 182, 184, 219
- setfilecon(3)* 300
- setfiles* 182, 220, 300
- setkey* 305
- setroubleshoot* 206
- setroubleshootd* 221
- setsebool* 161, 175–177, 182, 220, 283
- SetUID 25, 26, 33, 147
- Shared-Hosting 108, 114, 121, 228, 250
- shm* 298
- Sicherheitsrichtlinie 30
- Simplified Policy Description Language 328
- Simplified-Policy 328
- Slackware 103, 155, 156
- SLIDE 321
 - Remote 326
- smbfs* 297, 298

Snort 125
Socket 306
 sockfs 298
SPDL siehe *Simplified Policy Description Language*
Squid 119, 143, 148, 213
StackGuard 57
 star 230
 strace 360
Strict-Policy 156, 159, 160, 189–192, 206, 219, 227, 261, 266, 267, 309
 stunnel 175
 su 46, 192, 193, 205
SubDomain 57
 subdomain_parser 90
 subdomain_status 82
SuExec 247, 248, 250, 253, 254
 suexec 253
SUSE 23, 26, 58, 59, 103, 131, 155, 239
SWAP 228
Syntax-Highlighting 321, 322
 syscapset 42
 sysfs 297
Syslogd 163
System V IPC 306
 system-config-securitylevel 222, 225
SysV-Init 315

T

tar 230
Targeted-Policy 143, 156, 160, 181, 189, 190, 192, 206, 224, 226, 227, 261, 266, 299
TCP-Socket 145, 218
TE siehe *Type-Enforcement*
 tmpfs 298, 302
 togglesebool 222
Transition siehe *Domänentransition*
Type-Enforcement 37, 48, 137, 141, 143, 149, 153, 186, 187, 190, 194, 198, 202, 217, 262, 285, 321, 325
 type_transition 149, 297, 299, 302

U

Ubuntu 101, 155, 156
 udf 298
 unconfined 61, 76, 80, 82, 92, 93
UNIX-Epoche 356
UNIXbench 51
Update 235
 update-grub 241
 userhelper 193

V

Variable
 SELINUX 223
Verfügbarkeit 29
Versionsnummer 186, 271, 278
Vertraulichkeit 29, 34, 194
 vfat 297, 298
VI siehe *Vim*
Vim 321
 vmstat 198

W

w 175
Watch 355
 who 175
Wildcards 78
Wirex Communications 57
Worker-MPM 247, 248, 257

X

xfs 241, 297–299

Y

Yast2 59, 67, 75, 85

Z

Zugriffsattribut 132